Carelift







FEDERAL ELEVATOR

About Federal Elevator


Federal Elevator was created in 1988 with a mandate to produce high quality lifts and elevators at competitive prices. More than 20 years later we have thousands of installations across North America and worldwide - keeping true to our promise and vision.

The Carelift is our standard Public Building lift model. It has standard capacity of 1000lbs with an operating speed up to 30 fpm in both directions. The pump and controller can be accommodated inside a small space. The Carelift can be completely custom designed to suit specific building requirements.

This commercial lift is the perfect solution for multilevel buildings. Designed for the customer with a multitude of premium features, finishes, and color options. Delivering quiet, smooth, dependable operation day in and day out.




The Carelift Wheelchair Lift is a fully enclosed commercial application lift that can provide access to all levels of your building up to 6 different floors. The Carelift can be installed in a new or existing building and requires only an 8" pit and 96" of overhead space. A large selection of cab wall finishes are available to make it fit any decor. Manual or automatic swing doors are available. The Carelift is the ideal multilevel accessibility solution for any building.










Fog










Fixtures

Federal Elevator offers several different style of car operating panels, hall stations and handrails. Your choice of attractive finishes to match building design. We also let you choose a variety of other features, such as special lighting options, different types of doors, and selection of handrails in a large range of finishes and materials.



Carelift

TECHNICAL SPECS

Platform Sizes:

36" x 48" 36" x 54" 36" x 60" 48" x 54" 42" x 60" 48" x 60"

Power:

230V, Single Phase, 30 Amp or 208V, Three Phase, 20 Amp

Drive:

1:2 Cable Hydraulic

Speed:

30 Ft/min

Electronics:

Relay logic based control system.

Emergency:

Uninterrupted battery back-up

Valve:

Single speed

Controls:

Constant pressure control


Capacity:


Up to 1400 lbs (1000 lbs standard)


FEDERAL ELEVATOR


43 WENTWORTH COURT BRAMPTON, ON CANADA, L6T 5L4


Tel: 905.458.4015 Toll: 1.888.785.5438 Fax: 905.458.0680











A = Cab Width